


fondital *Design*



EN

D E C O R A T I V E D E S I G N R A D I A T O R S
G E N E R A L C A T A L O G U E

fondital *Designer*

Fondital is a premium brand of heating systems. Established over 40 years ago, the company has now developed into a well-established, internationally renowned business enterprise. Fondital's new design ranges are the top choice for architects who want to add a sophisticated touch to their projects with a wide range of finishes, dimensions and colours. Heating solutions that are true work of art: the new design radiators combine beautiful appearance and optimal thermal yield. No compromises. Fondital's new design radiators are beautiful, warm and 100% recyclable. Don't miss out on this opportunity, find out more about these innovative products.

"Common people look at the
new things with old eyes. The
creative person observes the
old things with new eyes"

(Gian Piero Bona, poet)

Mood - Tribeca



Advantages of the series

- **15 year**-warranty
- Working pressure **16 bar**
- Internal anti-corrosion treatment **Aleternum** included in the price
- Modular
- Light
- Two columns for a pleasant look, with the power of three



Mood - Tribeca

Rediscover the vintage modern style with Mood & Tribeca.

This radiator combines a traditional look with cutting-edge aluminium technology.

Thanks to the wide range of finishes and colours available, the radiators of this series are true pieces of interior design.



Mood



Tribeca

TECHNICAL SPECIFICATIONS

Radiatore Mood: with decoration - **Radiatore Tribeca:** plain

The Mood model with supporting feet is supplied with centre distances from 1000 to 2000 mm.

The supporting feet for this model only have an aesthetic function. The radiator must be secured to the wall with brackets.

Centre distances:

235 - 335 - 350 - 435 - 500 - 535 - 600

685 - 700 - 800 - 835

900 - 935 - 1000 - 1135 - 1200 - 1400

1435 - 1600 - 1735 - 1800 - 1935 - 2000

Radiator type:


Radiator made of 4 to 20 sections

Radiator made of 4 to 16 sections

Radiator made of 4 to 9 sections

Radiator made of 4 to 9 sections

Mod. Mood with feet



Hydraulic radiator

Model	Depth	Height	Height Mood with feet	Centre-to-centre distance	Width	Diameter of connections	Water content	Heat Output ΔT 50K	Heat Output ΔT 30K	Exponent	Coefficient
	mm	mm		mm	mm	inches	litres/sect.	W/sect.	W/sect.	n	K_m
235	90	284	-	235	50	G1	0.43	30.6	16.0	1.2665	0.2158
335	90	384	-	335	50	G1	0.58	40.5	21.1	1.2792	0.2718
350	90	399	-	350	50	G1	0.71	41.9	21.8	1.2800	0.2799
435	90	484	-	435	50	G1	0.85	49.4	25.6	1.2849	0.3243
500	90	549	-	500	50	G1	0.95	55.1	28.5	1.2885	0.3566
535	90	584	-	535	50	G1	1.00	58.2	30.1	1.2905	0.3734
600	90	649	-	600	50	G1	1.10	63.8	32.9	1.2942	0.4037
685	90	734	-	685	50	G1	1.15	71.2	36.6	1.2990	0.4418
700	90	749	-	700	50	G1	1.18	72.5	37.3	1.2999	0.4484
800	90	849	-	800	50	G1	1.34	81.1	41.6	1.3055	0.4907
835	90	884	-	835	50	G1	1.38	84.1	43.1	1.3075	0.5050
900	90	949	-	900	50	G1	1.50	89.7	45.9	1.3091	0.5353
935	90	984	-	935	50	G1	1.56	92.7	47.5	1.3100	0.5514
1000	90	1049	1103	1000	50	G1	1.66	98.3	50.3	1.3115	0.5812
1135	90	1184	1238	1135	50	G1	1.88	110.0	56.2	1.3149	0.6420
1200	90	1249	1303	1200	50	G1	1.98	115.7	59.9	1.3164	0.6809
1400	90	1449	1503	1400	50	G1	2.28	133.3	67.9	1.3213	0.7583
1435	90	1484	1538	1435	50	G1	2.36	136.4	69.5	1.3210	0.7771
1600	90	1649	1703	1600	50	G1	2.60	151.2	77.1	1.3192	0.8673
1735	90	1784	1838	1735	50	G1	2.85	163.4	83.4	1.3178	0.9430
1800	90	1849	1903	1800	50	G1	2.95	169.4	86.4	1.3171	0.9801
1935	90	1984	2038	1935	50	G1	3.10	181.9	92.9	1.3156	1.0585
2000	90	2049	2103	2000	50	G1	3.22	188.1	96.1	1.3150	1.0970

Maximum working pressure: 1600 KPa (16 bar)

Characteristic equation:: $\Phi = K_m \Delta T^n$, as per EN 442-1

Stated heat output values are in accordance with European Standard EN 442-2 for the white radiator.

Internal anti-corrosive treatment Aleternum included in the price on all models.

Mood



Tribeca



Mood



Tribeca



Tribeca




Tribeca



"Passion colours all that
it touches in its own hues."

(Balthasar Gracián, writer)

Colours


















COLOURS

All colours are available in four finishes:

GLOSSY - MATTE - TEXTURED MATTE - PEARL










These colours are indicative only and may be different from the real ones due to printing process technical limits

	GLOSSY	MATTE	TEXTURED MATTE	PEARL
BIANCO	 Code 04			 Code 4M
CORVINO	 Code 2L		 Code 3L	
METROPOLITAN			 Code 3T	
BLACK COFFEE			 Code 3V	
PEARL	 Code 2N	 Code 5N		 Code 4N
ORGANZA	 Code 2D	 Code 5D		
TURTLE		 Code 5P	 Code 3P	
COPPER	 Code 2C		 Code 3C	

CUSTOMISATIONS

The products of Fondital's interior design range offer unparalleled durability and unique installation possibilities: these attractive aluminium radiators can be made a key element of you interior design choices.

A range of colours and finishes are available to meet the needs of architects and interior designers.

	GLOSSY	MATTE	TEXTURIZZATO MATTE	PEARL
TERRA BRUCIATA	 Code 2S			
SILVER	 Code 2F		 Code 3F	
GRAFITE			 Code 3R	
ARDESIA	 Code 2B		 Code 3B	
RUBINO	 Code 2A			
HELOISE			 Code 3H	
TURQUOISE BEACH	 Code 2I			

Colours: 45% price increase on the price of a gloss white (ral 9010) installation kit

Accessories

To complement its radiators, Fondital offers an exhaustive range of accessories to meet any installation needs. Valves and lockshield valves are available in different design styles and finishes, and will fit any type of pipes with 1/2" connection diameter, with straight or angle body pattern.

Valves and Lockshield Valves for Design Radiators

ALFA series valve 1/2" connection



Type	Colour White/Chrome	Colour Chrome	Colour Gold
DESCRIPTION	CODE	CODE	CODE
Angle valve, iron pipe connection	8493051	8493052	8493053
Straight valve, iron pipe connection	8493061	8493062	8493063
Angle lockshield valve, iron pipe connection	8493031	8493032	8493033
Straight lockshield valve, iron pipe connection	8493041	8493042	8493043
Angle valve, copper/PE/multilayer pipe connection	8493151	8493152	8493153
Straight valve, copper/PE/multilayer pipe connection	8493161	8493162	8493163
Angle lockshield valve, copper/PE/multilayer pipe connection	8493131	8493132	8493133
Straight lockshield valve, copper/PE/multilayer pipe connection	8493141	8493142	8493143

Valves are supplied without fitting

BETA series valve 1/2" connection



Type	Colour White/Chrome	Colour Chrome
DESCRIPTION	CODE	CODE
Angle valve, iron pipe connection	8483351	8483352
Straight valve, iron pipe connection	8483361	8483362
Angle lockshield valve, iron pipe connection	8493531	8493532
Straight lockshield valve, iron pipe connection	8493541	8493542
Angle valve, copper/PE/multilayer pipe connection	8483451	8483452
Straight valve, copper/PE/multilayer pipe connection	8483461	8483462
Angle lockshield valve, copper/PE/multilayer pipe connection	8493631	8493632
Straight lockshield valve, copper/PE/multilayer pipe connection	8493641	8493642

Valves are supplied without fitting

GAMMA series valve 1/2" connection



Type	Colour White/Chrome	Colour Chrome
DESCRIPTION	CODE	CODE
Angle valve, iron pipe connection	8484351	8484352
Straight valve, iron pipe connection	8484361	8484362
Angle lockshield valve, iron pipe connection	8494531	8494532
Straight lockshield valve, iron pipe connection	8494541	8494542
Angle valve, copper/PE/multilayer pipe connection	8484451	8484452
Straight valve, copper/PE/multilayer pipe connection	8484461	8484462
Angle lockshield valve, copper/PE/multilayer pipe connection	8494631	8494632
Straight lockshield valve, copper/PE/multilayer pipe connection	8494641	8494642

Valves are supplied without fitting

LIBERTY series valve 1/2" connection



Type	White	RAL 1036	Castiron	Bronze
DESCRIPTION	CODE	CODE	CODE	CODE
Angle valve, iron pipe connection, non-drip end	8493251	8493256	8493254	8493255
Angle lockshield valve, iron pipe connection, non-drip end	8493231	8493236	8493234	8493235

ADAPTER for copper and multilayer LIBERTY series pipes

Pipe size (Ø mm)	Gold *	Bronze
	CODE	CODE
3/4" x 24/19	8493283	8493285

* Can be used with valves and lockshield valves in white, RAL 1036 and cast iron

OLD STYLE series valve 1/2" connection



Type	White	Chrome	Bronze
DESCRIPTION	CODE	CODE	CODE
Thermostatic angle valve, iron pipe connection, non-drip end	8493671	8493672	8493675
Angle valve, iron pipe connection, non-drip end	8493371	8493372	8493375
Angle lockshield valve, iron pipe connection, non-drip end	8493411	8493412	8493415
Thermostatic straight valve, iron pipe connection, non-drip end	8493681	8493682	8493685
Straight valve, iron pipe connection, non-drip end	8493381	8493382	8493385
Straight lockshield valve, iron pipe connection, non-drip end	8493421	8493422	8493425
Thermostatic angle valve, copper and multilayer pipe connection, non-drip end	8493691	8493692	8493695
Angle valve, copper and multilayer pipe connection, non-drip end	8493391	8493392	8493395
Angle lockshield valve, copper and multilayer pipe connection, non-drip end	8493431	8493432	8493435
Thermostatic straight valve, copper and multilayer pipe connection, non-drip end	8493701	8493702	8493705
Straight valve, copper and multilayer pipe connection, non-drip end	8493401	8493402	8493405
Straight lockshield valve, copper and multilayer pipe connection, non-drip end	8493441	8493442	8493445

Accessories

TONDERA series valve 1/2" connection



Type	Colour White	Colour Chrome
DESCRIPTION	CODE	CODE
Thermostatically-controlled angle valve, copper/multilayer pipe connection, non-drip end	8496131	8496132
Thermostatic angle valve, copper/multilayer pipe connection, non-drip end	8496331	8496332
Hand-operated angle valve, copper/multilayer pipe connection, non-drip end	8496231	8496232
Angle lockshield valve, copper/multilayer pipe connection, non-drip end	8496731	8496732
Thermostatically-controlled straight valve, copper/multilayer pipe connection, non-drip end	8496151	8496152
Thermostatic straight valve, copper/multilayer pipe connection, non-drip end	8496351	8496352
Hand-operated straight valve, copper/multilayer pipe connection, non-drip end	8496251	8496252
Straight lockshield valve copper/multilayer pipe connection, non-drip end	8496751	8496752

FITTINGS for copper pipes for ALFA and BETA series valves

Pipe size (Ø mm)	Colour Chrome	Colour Gold
	CODE	CODE
10	849381210	849381310
12	849381212	849381312
14	849381214	849381314
15	849381215	849381315



FITTINGS for multilayer pipes for ALFA and BETA series valves

Pipe size (Ø int. - Ø ext.)	Colour Chrome	Colour Gold
	CODE	CODE
10-14	849383210	849383310
12-16	849383215	849383315



FITTINGS for copper pipes for GAMMA and TONDERA series valves

Pipe size (Ø mm)	Colour Chrome
	CODE
10	849481210
12	849481212
14	849481214
15	849481215
16	849481216
18	849481218



Fittings for multilayer pipes for GAMMA and TONDERA series valves

Pipe size (Ø int. - Ø ext.)	Chrome
	CODE
7.5/8-12 x 24/19	84948320812
9.5/10-14 x 24/19	849483210
9.5/10-15 x 24/19	84948321015
10.5/11-15 x 24/19	84948321115
10.5/11-16 x 24/19	84948321116
11.5/12-16 x 24/19	8494832115
11.5/12-17 x 24/19	84948321217
12.5/13-17 x 24/19	84948321317
12.5/13-18 x 24/19	84948321318
13.5/14-18 x 24/19	84948321418
14.5/15-20 x 24/19	84948321520
15/15.5-20 x 24/19	849483215520
15.5/16-20 x 24/19	84948321620



Radiator thermostat for BETA, GAMMA and TONDERA series valves

Type	Colour White/Chrome
	CODE
With liquid sensor	8480931



Accessories

FITTINGS for copper pipes for LIBERTY series valves

Pipe size (Ø mm)	Gold *	Bronze
	CODE	CODE
10 x 24/19	849381310	849381510
12 x 24/19	849381312	849381512
14 x 24/19	849381314	849381514
15 x 24/19	849381315	849381515
16 x 24/19	849381316	849381516
18 x 24/19	849381318	849381518



* Can be used with valves and lockshield valves in white, RAL 1036 and cast iron

FITTINGS for multilayer pipes for LIBERTY series valves

Pipe size (Ø mm)	Gold *	Bronze
	CODE	CODE
7.5/8-12 x 24/19	84938330812	84938350812
9.5/10-14 x 24/19	849383310	84938351014
9.5/10-15 x 24/19	84938331015	84938351015
10.5/11-15 x 24/19	84938331115	84938351115
10.5/11-16 x 24/19	84938331116	84938351116
11.5/12-16 x 24/19	8493833115	84938351216
11.5/12-17 x 24/19	84938331217	84938351217
12.5/13-17 x 24/19	84938331317	84938351317
12.5/13-18 x 24/19	84938331318	84938351318
13.5/14-18 x 24/19	84938331418	84938351418
14.5/15-20 x 24/19	84938331520	84938351520
15/15.5-20 x 24/19	849383315520	849383515520
15.5/16-20 x 24/19	84938331620	84938351620



* Can be used with valves and lockshield valves in white, RAL 1036 and cast iron

FITTINGS for copper pipes for OLD STYLE series valves

Pipe size (Ø mm)	Chrome *	Bronze
	CODE	CODE
10 x 24/19	849481210	849481510
12 x 24/19	849481212	849481512
14 x 24/19	849481214	849481514
15 x 24/19	849481215	849481515
16 x 24/19	849481216	849481516
18 x 24/19	849481218	849481518



* Can be used with valves and lockshield valves in chrome and whitew

FITTINGS for multilayer pipes for OLD STYLE series valves


Pipe size (Ø mm)	Chrome *	Bronze
	CODE	CODE
7.5/8-12 x 24/19	84948320812	84948350812
9.5/10-14 x 24/19	849483210	84948351014
9.5/10-15 x 24/19	84948321015	84948351015
10.5/11-15 x 24/19	84948321115	84948351115
10.5/11-16 x 24/19	84948321116	84948351116
11.5/12-16 x 24/19	8494832115	84948351216
11.5/12-17 x 24/19	84948321217	84948351217
12.5/13-17 x 24/19	84948321317	84948351317
12.5/13-18 x 24/19	84948321318	84948351318
13.5/14-18 x 24/19	84948321418	84948351418
14.5/15-20 x 24/19	84948321520	84948351520
15/15.5-20 x 24/19	849483215520	849483515520
15.5/16-20 x 24/19	84948321620	84948351620



* Can be used with valves and lockshield valves in chrome and whitew


Accessories

	DESCRIPTION	CODE
A33/1	Special 1" nipple for extruded radiators	521012
A32/1	O-ring seal for nipples, plugs and adapters	530102
A20	Kit with two adjustable coated brackets	550037
A30/2	Rubber lockshield plug Mood-Tribeca (water diaphragm)	521011M
A26/1	Nipple wrench	550090
A 1/1	Automatic air bleeding valve, chrome finish, G1", RH or LH	520201 / 520202
A74	Fixing kit for horizontal installation, colour white	550120
A75	Fixing kit for horizontal installation, colour chrome	550121




PLUG AND 1/2" ADAPTERS KIT, COLOUR WHITE
THE KIT INCLUDES:

	CODE
1 BLEED VALVE 1/2"	550118
1 RH BLANKING PLUG	
1 LH BLANKING PLUG	
2 RH ADAPTERS 1/2"	
2 LH ADAPTERS 1/2"	
4 O-RING SEALS	
2 SUPPORTING BRACKETS	




PLUG AND 3/4" ADAPTERS KIT, COLOUR WHITE
THE KIT INCLUDES:

	CODE
1 BLEED VALVE 3/4"	550119
1 RH BLANKING PLUG	
1 LH BLANKING PLUG	
2 RH ADAPTERS 3/4"	
2 LH ADAPTERS 3/4"	
4 O-RING SEALS	
2 SUPPORTING BRACKETS	



Accessories

SPECIAL FIXING KIT WITH WHITE PINCERS + PLUGS and ADAPTERS for MOOD and TRIBECA

	CODE	
1 FLAT ½ BLEED VALVE	550122	
2 WHITE PLASTIC COVER		
1 FLAT ½ PLUG		
2 WHITE ½ RH ADAPTER		
2 WHITE ½ LH ADAPTER		
1 BAG WITH 3 METAL SHEET BRACKETS		
1 BAG WITH 3 WHITE PLASTIC COVERS		
3 WHITE RH PINCERS		
3 WHITE LH PINCERS		
4 O-RING SEALS 1"		
1 RUBBER RETAINING PLUG		

SPECIAL FIXING KIT WITH COLORED PINCERS + PLUGS and ADAPTERS for MOOD and TRIBECA

Colour - finishing	Colour	Code
Bianco - Pearl	bianco	550122
		550122MP
Corvino Matte Textured Matte	corvino	550122L
		550122LL
Pearl Pearl	pearl	550122NP
Pearl Glossy		550122NL
Pearl Matte		550122NO
Organza Glossy	organza	550122DL
Organza Matte		550122DO
Turtle Matte	turtle	550122PO
Turtle Textured Matte		550122P
Copper Glossy	copper	550122CL
Copper Textured Matte		550122C
Silver Glossy	silver	550122FL
Silver Textured Matte		550122F
Ardesia Glossy	ardesia	550122EL
Ardesia Textured Matte		550122E
Rubino Glossy	rubino	550122BL
Heloise Textured Matte	heloise	550122H
Turquoise Beach Glossy	turquoise beach	550122IL
Grafite Textured Matte	grafite	550122R
Terra Bruciato Glossy	terra bruciata	550122SL
Black Coffee Textured Matte	black coffee	550122V
Metropolitan Textured Matte	metropolitan	550122T

Colours: 45% price increase on the price of a gloss white (ral 9010) installation kit

Accessories

Towel rack for MOOD / TRIBECA

	CODE Colour Polished Aluminium
TOWEL RACK KIT, WITH DECORATION, mm 237	570125
TOWEL RACK KIT, WITH DECORATION, mm 337	570126
TOWEL RACK KIT, WITH DECORATION, mm 437	570127
TOWEL RACK KIT, WITH DECORATION, mm 537	570128



Article order code

To obtain the radiator code, it is necessary to join the code with the four final digits concerning the required finishing, colour and number of sections

HOW TO OBTAIN A CODE

Glossy Bianco 10-sect. Mood 600

Es: EA10CO + 04 + 10

Glossy Ardesia 12-sect. Mood 600

Es: EA10CO + 2B + 12

Centre distances:

235 - 335 - 350 - 435 - 500 - 535 - 600

685 - 700 - 800 - 835

900 - 935 - 1000 - 1135 - 1200 - 1400

1435 - 1600 - 1735 - 1800 - 1935 - 2000

Radiator type:

Radiator made of 4 to 20 sections


Radiator made of 4 to 16 sections

Radiator made of 4 to 9 sections

Radiator made of 4 to 9 sections

MODEL	MOOD		MODEL	TRIBECA		MODEL	MOOD (with support)	
	CODE	FINISHING/ COLOUR		CODE	FINISHING/ COLOUR		CODE	FINISHING/ COLOUR
235	EA11A0	XX XX*	235	EA21A0	XX XX*			XX XX*
335	EA11B0		335	EA21B0				
350	EA10A0		350	EA20A0				
435	EA11C0		435	EA21C0				
500	EA10B0		500	EA20B0				
535	EA11D0		535	EA21D0				
600	EA10C0		600	EA20C0				
685	EA11E0		685	EA21E0				
700	EA10D0		700	EA20D0				
800	EA10E0		800	EA20E0				
835	EA11F0		835	EA21F0				
900	EA10F0		900	EA20F0				
935	EA11G0		935	EA21G0				
1000	EA10G0		1000	EA20G0		1000	EA30G0	
1135	EA11H0		1135	EA21H0		1135	EA31H0	
1200	EA10H0		1200	EA20H0		1200	EA30H0	
1400	EA10I0		1400	EA20I0		1400	EA30I0	
1435	EA11I0		1435	EA21I0		1435	EA31I0	
1600	EA10L0		1600	EA20L0		1600	EA30L0	
1735	EA11L0		1735	EA21L0		1735	EA31L0	
1800	EA10M0	1800	EA20M0	1800	EA30M0			
1935	EA11M0	1935	EA21M0	1935	EA31M0			
2000	EA10N0	2000	EA20N0	2000	EA30N0			

*The four final digits change according to the chosen finishing/colour (see pages 18/19 under every single colour) and number of sections



HOME



The manufacturer reserves the right to make changes in specifications without prior notice.

fondital

BE INNOVATIVE ● ○ ●

FONDITAL S.p.A.

Via Cerreto, 40

25079 VOBARNO (Brescia) Italy

Tel.: +39 0365 878.31

Fax: +39 0365 878.304

E-mail: info@fondital.it

Web: www.fondital.com

**COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =**



9PCEN03D013